

**ATTACHMENT D**  
**CONDITIONS OF APPROVAL FOR HILLSIDE DEVELOPMENT PERMIT #4395**

The applicant or successor in interest shall meet the following conditions:

1. The site plan, floor plan, elevations, and building sections submitted for building permits shall substantially conform to plans submitted and stamped "Received at Hearing, September 26, 2005", except as modified herein.
2. The applicant shall comply with all requirements of Chapter 17.22 and 17.29 that relate to residential development in the Hillside Overlay district.
3. The project shall comply with the Tree Protection Ordinance. A tree protection plan shall be submitted to the Zoning Administrator for approval prior to the approval of any building or grading permits. The approval of a Tree Removal Application shall be obtained prior to the issuance of building permits if any protected trees, as specified in the Tree Ordinance, are removed.
4. A construction parking and staging plan shall be submitted to and approved by the Zoning Administrator and the Department of Public Works and Transportation prior to issuance of any permits. The construction parking and staging plan shall include information on the removal of demolished materials as well as the on-site storage of new construction materials. A copy of the approved construction parking and staging plan shall be furnished to the Current Planning Division for inclusion into the case file on this project. The plan shall be available for review by surrounding property owners.
5. The applicant or successor in interest shall meet the applicable code requirements of all other City Departments.
6. The applicant or successor in interest shall comply with Section 14.05 of the Pasadena Municipal Code that relates to excavation and grading in hillside areas.
7. No mechanical equipment, with the exception of solar collectors, shall be permitted on any roof unless fully enclosed in an enclosure designed to be architecturally compatible with the existing house. Any above ground mechanical equipment shall be screened from the street and shall be more than 5 feet from all property lines.
8. All new construction shall meet all applicable SUSMP (Standard Urban Water Mitigation Plan) requirements of the Building Division.
9. All landscape and walkway lighting shall be directed downwards to minimize glare from the property.
10. For projects subject to a building permit, all construction vehicles or trucks including trailers with length over 30 feet or widths over 102 inches shall require a lead pilot vehicle and flag person to enter the streets within the Hillside District. The flag person will stop opposing traffic as necessary when trucks are negotiating tight curves. Operation of construction vehicles or trucks with lengths over 35 feet shall require approval from the Department of Transportation and Department of Public Works, subject to demonstration that such vehicles can maneuver around specific tight curves in the Hillside District. Operation of construction trucks with lengths over 30 feet shall be prohibited before 9:00 AM. and after 3:00 PM.

Monday through Friday and all day during weekends and holidays. On refuse collection days, the operation of construction trucks with lengths over 30 feet shall be prohibited before 10:00 AM and after 3:00 PM.

11. The proposed project, **Case No. PLN2004-00304** , shall comply with all conditions of approval, subject to a Final Zoning Inspection. Contact the Code Compliance Staff at (626) 744-4633 to verify the fee and to schedule an inspection appointment time. All fees are to be paid to the cashier at the permit center located at 175 N. Garfield Avenue. The cashier will ask for the case number provided above. Failure to pay the inspection fee prior to initiating the application may result in revocation proceedings of this entitlement.