

Exhibit A
Pending Removals
Reviewed by UFAC
March 23, 2009

PENDING REMOVALS REVIEWED BY UFAC

Address	Street	Tree Species	Number	Reason for Removal	UFAC Date	DBH
375	Linda Vista Avenue	<i>Ceratonia siliqua</i> , <i>Carob tree</i>	1	Tree has outgrown planting area.	3/2/2009	30"
680	E. Colorado Bl.	<i>Washingtonia robusta</i> , <i>Mexican Fan palm trees</i>	3	Allowing for the drive approach for a new commercial project and pedestrain walkway.	3/2/2009	70'; 30'; 25' Feet Tall
2040	Dunham Alley	<i>Acacia melanoxylon</i> , <i>Black Acacia</i>	1	Probable volunteer located under power lines, and too close to the fence at the property line.	3/2/2009	7"
1330	Hillcrest Avenue	<i>Phoenix canariensis</i> , <i>Canary Island date palm</i>	1	In conflict with drive approach.	12/1/2008	55' Feet Tall
300	Green Street West;	<i>Cupressus arizonica</i> , <i>Arizona Cypress</i>	3	Trees are located in conflict with the least invasive drive	2/5/2007	14", 10", 8".
300	Green Street West;	<i>Ficus microcarpa</i> , <i>Indian Laurel Fig tree</i>	1	Trees are located in conflict with the least invasive drive	2/5/2007	18"
300	Green Street West; Ambassador West	<i>Pyrus kawakami</i> , <i>Evergreen Pear tree on Green Street;</i>	1	Trees are located in conflict with the least invasive drive approach.	2/5/2007	9", 8", 6", 5", one trunk
300	Green Street West; Ambassador West	<i>Tristania conferta</i> , <i>Brisbane Box</i>	1	Trees are located in conflict with the least invasive drive approach.	2/5/2007	14"
300	Green Street West; Ambassador West	<i>Prunus cerasifera 'Atropurpurea'</i> , <i>Evergreen Pear</i>	2	Trees are located in conflict with the least invasive drive approach.	2/5/2007	7", 5".
245	Pasadena Avenue South; Westgate	<i>Podocarpus macrophyllus</i> , <i>Yew Pine;</i>	33	Trees are in a hazardous condition with poor growth and holes in the base.	5/5/2008	All under 8"
150	Green Street West; Block 1 Westgate	<i>Ficus microcarpa 'nitida'</i> , <i>Indian Laurel Fig</i>	1	Trees are in a hazardous condition with poor growth and holes in the base.	5/5/2008	6"
150	Green Street West; Block 1 Westgate	<i>Tabebuia heterophylla</i> , <i>Pink Trumpet trees</i>	8	Trees are in a hazardous condition with poor growth and holes in the base.	5/5/2008	All under 6"

PENDING REMOVALS REVIEWED BY UFAC

Address	Street	Tree Species	Number	Reason for Removal	UFAC Date	DBH
1081	Fair Oaks Avenue North; Robinson Park	<i>Phoenix can. (2), Washingtonia spp. (2), Pinus spp. (1), Juniper (1), Podocarpus spp. (9), Platanus rac. (2), Camphora spp. (2), Citrus (1), Magnolia (1), Cupaniopsis (1)</i>	22	To implement phase I of Master Plan that allows for the expanded field size and a safe outfield for baseball/softball.	12/3/2007	
161	Altadena Drive North	<i>Coast Live Oaks, Quercus agrifolia;</i>	2	Trees in conflict with substation expansion.	11/6/2006	15"-25"
161	Altadena Drive North	<i>Ficus trees, Ficus microcarpa 'nitida';</i>	5	Trees in conflict with substation expansion.	11/6/2006	20"-40"
161	Altadena Drive North	<i>Magnolia tree, Magnolia grandiflora</i>	1	Trees in conflict with substation expansion.	11/6/2006	15"
1005	Armada Drive; Chandler School	<i>Araucaria heterophylla, Norfolk Island Pine</i>	1	Parking structure was designed to minimize the amount of grading.	10/1/2007	9"
1005	Armada Drive; Chandler School	<i>Schinus molle, California Pepper trees</i>	3	Re-sprouted stumps to be removed properly.	3/18/2008	N/A
1005	Armada Drive; Chandler School	<i>Washingtonia robust, Mexican Fan</i>	1	Palm in poor condition is located next to larger canopy trees.	3/18/2008	25' Feet Tall

**Exhibit B
Pending Removals
Not Previously
Reviewed by UFAC
March 23, 2009**

PENDING REMOVALS NOT REVIEWED BY UFAC

Address	Street	Tree Species	Number	Reason for Removal	UFAC Date	DBH
	Kinneloa Walnut Street Improvements	3 <i>Ulmus parvifolia</i> , Chinese Elms; 2 <i>Quercus ilex</i> , Holly Oak; 1 <i>Quercus agrifolia</i> , Cost Live Oak; 1 <i>Fraxinus uhdei</i> , Shamel Ash	7	Potential to lose grant funds; delay of environmental process/regulatory permits	N/A	
	Monk Hill Treatment System Disinfection Facility	One <i>Eucalyptus</i> and one <i>Holly Oak</i> withing PWP property - Windsor site	2	The MHT project is in permit phase, change will require re-design, delay the schedule, add additional cost for the project.	N/A	13", 14"
Hahamonga Watershed Park	Oak Grove Area Improvements	Predominantly Willows with approx. 3 small Oaks	70	native habitat restoration; if not removed potential to lose grant funds; delay of environmental process/regulatory permits; redesign of project.	N/A	ranges from 4-12"
Hahamonga Watershed Park	Westside Perimeter Trail	Predominantly Ash and approximately 2 small Oaks and several Willows	40	native habitat restoration, if not removed potential to lose grant funds; delay of environmental process/regulatory permits; redesign of project	N/A	range from 8-20+", most ash approx 12-15"
Hahamonga Watershed Park	Berkshire Creek Restoration	Predominantly non-natives (Fan palm, fig, eucalyptus) and a few natives (Sycamore and Willows)	40	native habitat restoration, if not removed potential to lose grant funds; delay of environmental process/regulatory permits; redesign of project	N/A	ranges 4"-25+", most are between 15-20"
Hahamonga Watershed Park (in flood basin behind dam)	Sediment removal in Devil's Gate/Hahamonga Basin	Predominantly Willows	150	Prevents the removal of sediment from the basin by LA County, hence creating dangerous flooding conditions(sediment removal by LA County does require City approval of any tree removals per agreement with City)	N/A	ranges 4-12"
Hahamonga Watershed Park (Windsor & Ventura)	Sunset Overlook	Non-native trees (Pine, Jacaranda, Pittosporum)	10	native habitat restoration, if not removed Potential to lose grant funds; removals may be necessary for ADA access.	N/A	ranges 8-18"

PENDING REMOVALS NOT REVIEWED BY UFAC

Address	Street	Tree Species	Number	Reason for Removal	UFAC Date	DBH
Lower Arroyo Seco Park, southern entrance adjacent to San Pasqual stables	Lower Arroyo Trailheads Project	Non-native trees (Acacia and Eucalyptus , ash, chinese elm)	5	native habitat restoration, if not removed potential to lose grant funds.	N/A	ranges 8-18"
	Brookside Park - Playground	<i>Oak</i>	3	Interference w/ playground project. 4" and 6" caliper	N/A	6", 4".
	Brookside Park - Trash enclosures	<i>Platanus ace.</i>	2	Interference w/ trash enclosure location	N/A	6", 6", 6".
1081	Fair Oaks Avenue North;	<i>Platanus racemosa,</i> <i>California Sycamores</i>	1	May be necessary to remove due to retaining wall.	N/A	25"
3160	E. Del Mar Bl. Urgent Care Site	<i>Carolina Laurel</i> <i>Cherry</i>	2	Plans are not final, may need to be removed.	N/A	12", 12".

Exhibit C
Planting Matrix for
The Playhouse District
March 23, 2009

PROPOSED TREES TO BE PLANTED.

PLANTING OF TREES ON COLORADO BOULEVARD FROM LOS ROBLES AVENUE TO LAKE AVENUE		
<u>STREET NAME</u>	<u>LIMITS</u>	<u>PLANTING</u>
COLORADO BL	LOS ROBLES AV to OAKLAND AV	(12) Mexican Fan Palm (1) Maidenhair Tree
	OAKLAND AV to MADISON AV	(10) Mexican Fan Palm (4) Maidenhair Tree
	MADISON AV to EL MOLINO AV	(8) Mexican Fan Palm (6) Maidenhair Tree
	EL MOLINO AV to OAK KNOLL AV	(12) Mexican Fan Palm (4) Maidenhair Tree
	OAK KNOLL AV to HUSON AV	(10) Mexican Fan Palm (2) Maidenhair Tree
	HUDSON AV to LAKE AV	(8) Mexican Fan Palm (4) Maidenhair Tree
	TOTAL	(60) Mexican Fan Palm