



294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 2-019



170607_294 Wilson_Unit 2-020



170607_294 Wilson_Unit 2-021



170607_294 Wilson_Unit 2-022



170607_294 Wilson_Unit 2-023




170607_294 Wilson_Unit 2-024


294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 2-025



170607_294 Wilson_Unit 2-026



170607_294 Wilson_Unit 2-027



170607_294 Wilson_Unit 2-028



170607_294 Wilson_Unit 2-029



170607_294 Wilson_Unit 2-030

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 2-031



170607_294 Wilson_Unit 2-032



170607_294 Wilson_Unit 2-033



170607_294 Wilson_Unit 2-034



170607_294 Wilson_Unit 2-035



170607_294 Wilson_Unit 2-036

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 2-037



170607_294 Wilson_Unit 2-038



170607_294 Wilson_Unit 2-039



170607_294 Wilson_Unit 2-040



170607_294 Wilson_Unit 2-041



170607_294 Wilson_Unit 2-042

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 2-043



170607_294 Wilson_Unit 2-044




170607_294 Wilson_Unit 2-045



170607_294 Wilson_Unit 2-046



170607_294 Wilson_Unit 2-047




170607_294 Wilson_Unit 2-048

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 2-049



170607_294 Wilson_Unit 2-050




170607_294 Wilson_Unit 2-051



170607_294 Wilson_Unit 2-052



170607_294 Wilson_Unit 2-053



170607_294 Wilson_Unit 2-054

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 2-055



170607_294 Wilson_Unit 2-056



170607_294 Wilson_Unit 2-057



170607_294 Wilson_Unit 2-058



170607_294 Wilson_Unit 2-059




170607_294 Wilson_Unit 2-060

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 2-061



170607_294 Wilson_Unit 2-062



170607_294 Wilson_Unit 2-063



170607_294 Wilson_Unit 2-064



170607_294 Wilson_Unit 2-065

Unit 3 – Interior Photos


294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-001



170607_294 Wilson_Unit 3-002



170607_294 Wilson_Unit 3-003



170607_294 Wilson_Unit 3-004



170607_294 Wilson_Unit 3-005



170607_294 Wilson_Unit 3-006

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-007



170607_294 Wilson_Unit 3-008



170607_294 Wilson_Unit 3-009



170607_294 Wilson_Unit 3-010




170607_294 Wilson_Unit 3-011




170607_294 Wilson_Unit 3-012

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-013




170607_294 Wilson_Unit 3-014




170607_294 Wilson_Unit 3-015



170607_294 Wilson_Unit 3-016




170607_294 Wilson_Unit 3-017




170607_294 Wilson_Unit 3-018

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-019



170607_294 Wilson_Unit 3-020




170607_294 Wilson_Unit 3-021



170607_294 Wilson_Unit 3-022




170607_294 Wilson_Unit 3-023




170607_294 Wilson_Unit 3-024

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 3-025



170607_294 Wilson_Unit 3-026




170607_294 Wilson_Unit 3-027



170607_294 Wilson_Unit 3-028




170607_294 Wilson_Unit 3-029




170607_294 Wilson_Unit 3-030

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 3-031



170607_294 Wilson_Unit 3-032



170607_294 Wilson_Unit 3-033



170607_294 Wilson_Unit 3-034



170607_294 Wilson_Unit 3-035



170607_294 Wilson_Unit 3-036

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-037



170607_294 Wilson_Unit 3-038




170607_294 Wilson_Unit 3-039



170607_294 Wilson_Unit 3-040



170607_294 Wilson_Unit 3-041



170607_294 Wilson_Unit 3-042


294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 3-043



170607_294 Wilson_Unit 3-044



170607_294 Wilson_Unit 3-045



170607_294 Wilson_Unit 3-046



170607_294 Wilson_Unit 3-047



170607_294 Wilson_Unit 3-048


294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-049




170607_294 Wilson_Unit 3-050




170607_294 Wilson_Unit 3-051



170607_294 Wilson_Unit 3-052



170607_294 Wilson_Unit 3-053



170607_294 Wilson_Unit 3-054

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 3-055



170607_294 Wilson_Unit 3-056




170607_294 Wilson_Unit 3-057



170607_294 Wilson_Unit 3-058



170607_294 Wilson_Unit 3-059



170607_294 Wilson_Unit 3-060

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-061



170607_294 Wilson_Unit 3-062



170607_294 Wilson_Unit 3-063



170607_294 Wilson_Unit 3-064



170607_294 Wilson_Unit 3-065



170607_294 Wilson_Unit 3-066

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 3-067



170607_294 Wilson_Unit 3-068



170607_294 Wilson_Unit 3-069



170607_294 Wilson_Unit 3-070

Unit 4 – Interior Photos

294 S. Wilson - Initial Documentation




170607_294 Wilson_Unit 4-001



170607_294 Wilson_Unit 4-002



170607_294 Wilson_Unit 4-003



170607_294 Wilson_Unit 4-004



170607_294 Wilson_Unit 4-005




170607_294 Wilson_Unit 4-006



170607_294 Wilson_Unit 4-007



170607_294 Wilson_Unit 4-008



170607_294 Wilson_Unit 4-009


294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 4-010



170607_294 Wilson_Unit 4-011




170607_294 Wilson_Unit 4-012



170607_294 Wilson_Unit 4-013



170607_294 Wilson_Unit 4-014




170607_294 Wilson_Unit 4-015



170607_294 Wilson_Unit 4-016



170607_294 Wilson_Unit 4-017



170607_294 Wilson_Unit 4-018

294 S. Wilson - Initial Documentation



170607_294 Wilson_Unit 4-019




170607_294 Wilson_Unit 4-020




170607_294 Wilson_Unit 4-021



170607_294 Wilson_Unit 4-022



170607_294 Wilson_Unit 4-023



170607_294 Wilson_Unit 4-024



170607_294 Wilson_Unit 4-025



170607_294 Wilson_Unit 4-026



170607_294 Wilson_Unit 4-027