



DATE	
REVISION	
NO.	
BY	
CHECKED	
DATE	

DAHL ARCHITECTS  
 408 S. PASADENA AVE. #6 PASADENA, CA 91105  
 OFFICE PHONE: 626 564-0011 FAX: 626 564-1591




PASADENA HOOPERS  
 96-102 E. COLORADO BLVD.  
 PASADENA, CA. 91105



SEATING  
 EXIT PATH  
 NEW GAMES  
 BAR AREA

2-2



1 SEATING LAYOUT  
 1/4" = 1'-0"

← 2

← COLORADO BLVD. →

← EXISTING LOUNGE TENNIS SPACE →

← ALLEY →

CLEARANCE IS REQUIRED FROM THE DEPARTMENTS CHECKED BELOW, BEFORE A BUILDING PERMIT WILL BE ISSUED. DEPARTMENTS WITH BOX CHECKED REQUIRE FINAL INSPECTION APPROVAL PRIOR TO FINAL BUILDING INSPECTION.

ACTIVITY # 00-03085  
 ADDRESS 96 E COLORADO  
 BUILDING (744-4200)  
 BY [Signature] DATE 2/1/01 FINAL INSP.   
 CURRENT PLANNING (Inspections by Code Compliance 744-4633)  
 BY [Signature] DATE 2/1/01 FINAL INSP.   
 DESIGN & HISTORIC PRESERVATION (744-4009)  
 BY [Signature] DATE 2-1-01 FINAL INSP.   
 FIRE (744-4668)  
 BY \_\_\_\_\_ DATE \_\_\_\_\_ FINAL INSP.   
 OTHER \_\_\_\_\_ PHONE \_\_\_\_\_  
 BY \_\_\_\_\_ DATE \_\_\_\_\_ FINAL INSP.

FD012 (Rev. 1/98)


APPROVED  
 CITY OF PASADENA  
 PLANNING DIVISION

1  
 B  
 C  
 E

**NEW 1-HOUR RATED WALL**  
 NEW 3 5/8" x 20 GA. METAL STUDS AT 16" O.C. W/ (1) LAYER OF 5/8" TYPE 'X' GYP. BD. ON ONE SIDE AND (2) LAYERS OF 5/8" TYPE 'X' GYP. BD. ON FIRE SIDE TO 1-HOUR RATED CEILING ABOVE. TAPED, SANDED SMOOTH, AND FINISHED PER PLAN.

SEPARATE PERMITS ARE REQUIRED FOR THE FOLLOWING WORK:  
 Plumbing - Electrical  
 Wooding - Air Conditioning  
 Fire Alarm - Fire Specialists

**NOTICE**  
 This permit will expire if the work authorized by this permit is not completed within 180 days or if work is suspended.



REVISED PLANS

**BASEMENT PLAN**

FEB 01 2001

2 →  
 1/4" = 1'-0"

